EAST Search History

EAST Search History (Prior Art)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|--|---|---------------------|---------|---------------------|
| L1 | 598 | (saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L2 | 11 | L1 same random\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L3 | 6 | L2 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L4 | 1042 | random\$4 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L5 | 3121 | random\$4 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L6 | 8 | L4 with L5 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L7 | 3 | L6 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L8 | 5976 | encrypt\$3 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L9 | 6479 | encrypt\$3 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |

| L10 | 122 | L8 with L9 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
|-----|-------|--|---|----|-----|---------------------|
| L11 | 91 | L10 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L12 | 9 | L5 same L8 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L13 | 9 | L12 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L14 | 223 | alias near identit\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L15 | 3 | L14 and L8 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L16 | 2 | L15 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2011/04/20 09:03 |
| L17 | 8 | (L3 L7 L11 L13 L16) and @pd> "20090428" | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |
| L18 | 10426 | tripartite | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |
| L19 | 2 | (access\$3 near polic\$3) and tripartite | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |
| L20 | 71 | L18 with (authenticat\$3 or security or access\$3) | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |
| L21 | 25 | L20 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |
| L22 | 16 | (principal\$1 with resource\$1 with service\$1 with attribute \$1) | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |
| L23 | 4 | L22 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |

| L24 | 9 | (authenticat\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1) same per | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |
|-----|-----|---|---|----|-----|---------------------|
| L25 | 2 | L24 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |
| L26 | 2 | (L17 L19 L21 L23 L25) and @pd>"20101116" | US-PGPUB; USPAT | OR | OFF | 2011/04/20 09:03 |
| S1 | 16 | ("20020052798" "20020095571" "20030014631" "5737523" "5787175" "5848232" "5999711" "6014135" "6092199" "6108788" "6119230" "6230271" "6263446" "6343361" "6430575" "6515316").pn. | US-PGPUB; USPAT | OR | OFF | 2007/07/16 10:19 |
| S2 | 1 | "20050068983".pn. | US-PGPUB; USPAT | OR | OFF | 2007/07/16 10:19 |
| S3 | 0 | ("2005/0068983").URPN. | USPAT | OR | OFF | 2007/07/16 10:27 |
| S4 | 177 | "security assertion markup language" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/16 10:28 |
| S5 | 53 | "liberty alliance project" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/16 10:28 |
| S6 | 13 | S4 and S5 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/16 10:28 |
| S7 | 4 | S6 and @ad< "20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/16 10:31 |
| S12 | 248 | "security assertion markup language" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 12:34 |
| S13 | 32 | S12 and alias | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 12:34 |

| S14 | 1 | S13 and @ad<"20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 12:35 |
|------|------|-------------------------------------|---|----|-----|---------------------|
| S15 | 22 | alias with contract | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 12:38 |
| S16 | 0 | S15 same session | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 12:38 |
| S17 | 1 | contract with session same alias | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 12:39 |
| S18 | 217 | authenticat\$4 with alias\$2 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 13:35 |
| S19 | 93 | S18 and @rlad< "20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 13:35 |
| \$20 | 0 | S19 and session\$1 with contract\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 13:35 |
| S21 | 33 | S19 and (contract or policy) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 13:35 |
| S22 | 2702 | 726/4,5.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 13:50 |
| \$23 | 9792 | 709/227-229.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 13:50 |

| S24 | 246 | S22 and S23 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 13:50 |
|-----|-----|---------------------------|---|----|-----|---------------------|
| S25 | 64 | S24 and @rlad< "20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 13:51 |
| S26 | 43 | alias with principal | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:09 |
| S27 | 5 | S26 same authenticat\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:09 |
| S28 | 0 | S27 and @rlad<"20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:09 |
| S29 | 29 | S26 and authenticat\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:09 |
| S30 | 8 | S29 and @rlad<"20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:12 |
| S31 | 203 | S22 and LDAP | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:13 |
| S32 | 58 | S31 and @rlad< "20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:13 |
| S33 | 2 | S32 and alias | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:15 |

| S34 | 2920 | authenticat\$6 same user near profile\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:29 |
|-----|------|--|---|----|-----|---------------------|
| S35 | 459 | S34 and LDAP | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:31 |
| S36 | 6 | S35 and "service contract" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:31 |
| S37 | 0 | S36 and @rlad< "20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:31 |
| S38 | 132 | S35 and @rlad< "20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:31 |
| S39 | 37 | S38 and contract | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:32 |
| S40 | 16 | S38 and ("social security" or "driver's license" or "date of birth" or ssn or dob) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:33 |
| S41 | 16 | S40 and @rlad< "20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/06/17 14:33 |
| S42 | 49 | ("20010034841" "20020052798" "20020095571" "20030002521" "20030014631" "20030023880" "20030061144" "20040128378" "20040187031" "20040210771" "20050097056" "20050120199" "20060020549" "20060080529" "20070294750" "5544322" | US-PGPUB; USPAT | OR | OFF | 2008/06/22 16:12 |

| | | "5560008" "5706427" "5737523" "5787175" "5818936" "5841970" "5848232" "5913025" "5999711" "6014135" "6088451" "6092199" "6108788" "6119230" "6230271" "6263446" "6343361" "6377692" "6430575" "6515316" "6539482" "6718470" "6891953" "6911974" "6957261" "6981262" "7088822" "7167564" "7203968" "7224804" "7299493" "7319752" "7346170").PN. | | | | |
|-----|------|--|---|----|-----|---------------------|
| S43 | 9 | ("20030172034" "20060178997" "20070143398" "20070156659" "20070156670" "20070156694" "5933498" "6314409" "7467415").pn. | US-PGPUB; USPAT | OR | OFF | 2009/01/05 16:26 |
| S44 | 21 | blair.xp. and douglas.xp. | US-PGPUB; USPAT | OR | OFF | 2009/01/06 20:05 |
| S45 | 3127 | 726/4,5.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S46 | 46 | alias with principal | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S47 | 31 | S46 and authenticat\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S48 | 8 | S47 and @rlad<"20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S49 | 248 | S45 and LDAP | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |

| \$50 | 70 | S49 and @rlad< "20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
|------|------|--|---|----|-----|---------------------|
| S51 | 2 | S50 and alias | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S52 | 3258 | authenticat\$6 same user near profile\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S53 | 490 | S52 and LDAP | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S54 | 148 | S53 and @rlad<"20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S55 | 18 | S54 and ("social security" or "driver's license" or "date of birth" or ssn or dob) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S56 | 18 | S55 and @rlad<"20030930" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/06 20:47 |
| S57 | 2 | (S48 S51 S56) and @pd>"20080617" | US-PGPUB; USPAT | OR | OFF | 2009/01/06 20:47 |
| S58 | 1 | "20050068983".pn. | US-PGPUB; USPAT | OR | OFF | 2009/04/28 09:00 |
| S59 | 79 | "liberty alliance project" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:03 |
| S60 | 306 | "security assertion markup language" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:03 |

| S61 | 362 | S60 or S59 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:03 |
|-----|------|--|---|----|-----|---------------------|
| S62 | 0 | ((saml or liberty) near random \$4) with (password\$1 or identit\$3 or identifier\$1 or id \$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:05 |
| S63 | 0 | ((saml or liberty) with random \$4) with (password\$1 or identit\$3 or identifier\$1 or id \$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:05 |
| S64 | 372 | (saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:05 |
| S65 | 5 | S64 same random\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:05 |
| S66 | 4 | S65 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:06 |
| S67 | 807 | random\$4 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:12 |
| S68 | 1 | S67 and S61 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:12 |
| S69 | 2231 | random\$4 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:13 |
| S70 | 8 | S67 with S69 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:13 |

| S71 | 69 | S60 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:13 |
|-----|------|--|---|----|-----|---------------------|
| S72 | 3 | S70 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:13 |
| S73 | 8 | S67 same S69 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:14 |
| S74 | 4600 | encrypt\$3 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:15 |
| S75 | 4841 | encrypt\$3 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:16 |
| S76 | 104 | S74 with S75 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:16 |
| S77 | 2 | S76 same random\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:16 |
| S78 | 87 | S76 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:17 |
| S79 | 1567 | encrypt\$3 adj (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:17 |
| S80 | 104 | S74 with S75 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:17 |

| S81 | 0 | S78 and S61 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:18 |
|-----|-----|--|---|----|-----|---------------------|
| S82 | 7 | S69 same S74 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:22 |
| S83 | 7 | S82 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:22 |
| S84 | 145 | alias near identit\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:50 |
| S85 | 1 | S84 and S67 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:50 |
| S86 | 3 | S84 and S74 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:50 |
| S87 | 2 | S86 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 09:51 |
| S88 | 1 | "20050068983".pn. | US-PGPUB; USPAT | OR | OFF | 2009/11/30 14:38 |
| S89 | 1 | "7552468".pn. | US-PGPUB; USPAT | OR | OFF | 2009/11/30 15:30 |
| S90 | 424 | (saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S91 | 7 | S90 same random\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |

| S92 | 5 | S91 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
|------|------|--|---|----|-----|---------------------|
| S93 | 871 | random\$4 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S94 | 2439 | random\$4 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S95 | 8 | S93 with S94 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S96 | 3 | S95 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S97 | 4973 | encrypt\$3 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S98 | 5264 | encrypt\$3 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S99 | 109 | S97 with S98 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S100 | 89 | S99 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S101 | 7 | S94 same S97 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |

| S102 | 7 | S101 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
|------|-------|--|---|----|-----|---------------------|
| S103 | 163 | alias near identit\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S104 | 3 | S103 and S97 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S105 | 2 | S104 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/30 15:53 |
| S106 | 3 | (S92 S96 S100 S102 S105) and @pd>"20090428" | US-PGPUB; USPAT | OR | OFF | 2009/11/30 15:53 |
| S107 | 0 | (access\$3 near polic\$3) with tripartite | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:20 |
| S108 | 9566 | tripartite | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:20 |
| S109 | 0 | (access\$3 near polic\$3) same tripartite | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:21 |
| S110 | 2 | (access\$3 near polic\$3) and tripartite | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:21 |
| S111 | 24024 | "726"/\$.ccls. | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:22 |
| S112 | 4 | S111 and S108 | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:22 |
| S113 | 237 | S108 same (authenticat\$3 or security or access\$3) | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:24 |
| S114 | 144 | S113 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:24 |
| S115 | 0 | S114 and (resource\$1 with service\$1 with attribute\$1) | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:25 |
| S116 | 1 | S114 and (resource\$1 with service\$1) | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:25 |
| S117 | 52 | S108 with (authenticat\$3 or security or access\$3) | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:26 |
| S118 | 23 | S117 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:26 |
| S119 | 37 | S114 and server\$1 | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:30 |
| S120 | 13 | (principal\$1 with resource\$1 with service\$1 with attribute \$1) | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:33 |

| S121 | 4 | S120 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:33 |
|------|------|--|---|----|-----|---------------------|
| S122 | 1216 | (authenticat\$3 or security or access\$3) and (resource\$1 with service\$1 with attribute \$1) | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:36 |
| S123 | 400 | (authenticat\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1) | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:36 |
| S124 | 1 | (authenticat\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1 with per) | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:36 |
| S125 | 7 | (authenticat\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1) same per | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:36 |
| S126 | 2 | S125 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT | OR | OFF | 2010/03/25 20:37 |
| S127 | 503 | (saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S128 | 9 | S127 same random\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S129 | 5 | S128 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S130 | 943 | random\$4 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S131 | 2722 | random\$4 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S132 | 8 | S130 with S131 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |

| S133 | 3 | S132 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
|------|------|--|---|----|-----|---------------------|
| S134 | 5415 | encrypt\$3 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S135 | 5800 | encrypt\$3 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S136 | 116 | S134 with S135 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S137 | 91 | S136 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S138 | 9 | S131 same S134 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S139 | 9 | S138 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S140 | 188 | alias near identit\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S141 | 3 | S140 and S134 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S142 | 2 | S141 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/14 14:12 |
| S143 | 7 | (S129 S133 S137 S139 S142) and @pd>"20090428" | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |

| S144 | 9796 | tripartite | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |
|------|------|--|---|----|-----|---------------------|
| S145 | 2 | (access\$3 near polic\$3) and tripartite | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |
| S146 | 54 | S144 with (authenticat\$3 or security or access\$3) | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |
| S147 | 23 | S146 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |
| S148 | 16 | (principal\$1 with resource\$1 with service\$1 with attribute \$1) | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |
| S149 | 4 | S148 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |
| S150 | 8 | (authenticat\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1) same per | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |
| S151 | 2 | S150 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |
| S152 | 3 | (S143 S145 S147 S149 S151) and @pd> "20100325" | US-PGPUB; USPAT | OR | OFF | 2010/07/14 14:12 |
| S153 | 547 | (saml or liberty) with (password\$1 or identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S154 | 10 | S153 same random\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S155 | 5 | S154 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S156 | 992 | random\$4 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S157 | 2914 | random\$4 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S158 | 8 | S156 with S157 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |

| S159 | 3 | S158 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
|------|------|--|---|----|-----|---------------------|
| S160 | 5676 | encrypt\$3 near password\$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S161 | 6091 | encrypt\$3 near (identit\$3 or identifier\$1 or id\$1) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S162 | 120 | S160 with S161 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S163 | 91 | S162 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S164 | 9 | S157 same S160 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S165 | 9 | S164 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S166 | 205 | alias near identit\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S167 | 3 | S166 and S160 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S168 | 2 | S167 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/11/16 14:43 |
| S169 | 7 | (S155 S159 S163 S165 S168) and @pd>"20090428" | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |

| S170 | 10084 | tripartite | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |
|------|-------|--|--------------------|----|-----|---------------------|
| S171 | 2 | (access\$3 near polic\$3) and tripartite | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |
| S172 | 59 | S170 with (authenticat\$3 or security or access\$3) | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |
| S173 | 24 | S172 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |
| S174 | 16 | (principal\$1 with resource\$1 with service\$1 with attribute \$1) | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |
| S175 | 4 | S174 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |
| S176 | 9 | (authenticat\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute \$1) same per | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |
| S177 | 2 | S176 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |
| S178 | 1 | (S169 S171 S173 S175 S177) and @pd>"20100714" | US-PGPUB; USPAT | OR | OFF | 2010/11/16 14:43 |
| S179 | 2 | "7170857".pn. "7487233".pn. | US-PGPUB; USPAT | OR | OFF | 2010/11/16 15:10 |
| S180 | 1 | "20050068983".pn. | US-PGPUB; USPAT | OR | OFF | 2011/04/15 12:02 |
| S181 | 330 | prox\$3 with Idap | US-PGPUB; USPAT | OR | OFF | 2011/04/15 17:38 |
| S182 | 58 | S181 and legacy | US-PGPUB; USPAT | OR | OFF | 2011/04/15 17:39 |
| S183 | 32 | S182 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2011/04/15 17:39 |
| S184 | 6 | S181 same legacy | US-PGPUB; USPAT | OR | OFF | 2011/04/15 17:41 |
| S185 | 6 | S184 and (@ad< "20030930" @rlad< "20030930") | US-PGPUB; USPAT | OR | OFF | 2011/04/15 17:41 |
| S186 | 76 | S181 with (secur\$3 or authenticat\$3) | US-PGPUB; USPAT | OR | OFF | 2011/04/15 17:47 |
| S187 | 41 | S186 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2011/04/15 17:48 |
| S188 | 6 | S186 with resource\$1 | US-PGPUB; USPAT | OR | OFF | 2011/04/15 17:51 |
| S189 | 4 | S188 and (@ad<"20030930" @rlad<"20030930") | US-PGPUB; USPAT | OR | OFF | 2011/04/15 17:51 |

EAST Search History (Interference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------|------------------|---------|------------------|
| L27 | 206 | prox\$3 with Idap | US-PGPUB | OR | OFF | 2011/04/20 09:06 |
| - | | *************************************** | | | | |

| L28 | 18 | (prox\$3 with Idap).clm. | US-PGPUB | OR | OFF | 2011/04/20 09:06 |
|-----|----|--|----------|----|-----|------------------|
| L29 | 1 | (prox\$3 same Idap same resource\$1).clm. | US-PGPUB | OR | OFF | 2011/04/20 09:07 |
| L30 | 0 | (prox\$3 same legacy same resource\$1).clm. | US-PGPUB | OR | OFF | 2011/04/20 09:07 |
| L31 | 0 | ((authenticat\$3 or security or access\$3) same (resource\$1 with service\$1 with attribute\$1) same per).clm. | US-PGPUB | OR | OFF | 2011/04/20 09:08 |

4/20/11 9:08:32 AM

C:\ Documents and Settings\ dblair\ My Documents\ EAST\ workspaces\ 10676231.wsp